

DETAILED ACTION
REASONS FOR ALLOWANCE

1. Claims 1-3, and 6-8 are found to be allowable.
2. The following is an examiner's statement of reasons for allowance:
3. The applicant's claims now require specific alkaline metal hydroxide, water, an optional buffering agent and a chelating compound meeting formula (1) with the exclusion of any additional ingredient was not found in the prior art of record. Nor would it have been obvious to obtain this specific composition with the exclusion of any additional ingredients.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory E. Webb whose telephone number is 571-272-1325. The examiner can normally be reached on 9:00-17:30 (m-f).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gregory E. Webb/
Primary Examiner, Art Unit 1796

Gregory E. Webb
Primary Examiner
Art Unit 1796

gew